

TERRA s




Non contractual picture / Photographie non contractuelle

AAE TERRA FP



Alain Ellouz
.paris

Type Type	Pendant light Suspension
Environment Environnement	Indoor Intérieur
Material Matériaux	Alabaster and burnt wood Albâtre et bois brûlé
Suspension system Système de suspension	2 stainless steel wire rope pendant 2 fils de suspension Overall drop of the lighting fixture (distance between the ceiling and the lowest part of the fixture) to be specified. Height included in standard price : 59". Additional length to order (Price upon request). Hauteur du luminaire (distance entre l'accroche et le bas du luminaire) à préciser. Hauteur comprise dans le tarif standard : 1500 mm. Longueur additionnelle possible (prix sur demande).
Lighting system Système d'éclairage	LED Strip 9,6 W/m - Dimmable intensity and color (2400K to 6000K) - Remoted transformer Bande LED 9,6 W/m - Variable en intensité et en couleur (2400K à 6000K) - Transformateur déporté
Lighting control system Système de contrôle d'éclairage	To be chosen according to project À choisir selon le projet
Wattage Wattage	36 W
Voltage Voltage	24 V : transformer provided transformateur fourni
Luminous flux Luminous flux	Source : 3500 lm The alabaster diffuses between 40 and 60% of the light source lumens L'albâtre diffuse entre 40 et 60% des lumens de la source lumineuse
Weight Poids	Approx. 99,2 lb Env. 45 kg





TERRA®
DESIGN BY ATELIER ALAIN ELLOUZ
MADE IN FRANCE

References ALM-0009
Références

Warranty 2 years warranty. General terms and conditions of sale.
Garantie 2 ans de garantie. Voir conditions générales de vente.

FIXING SYSTEM AND FINISH / SYSTÈME DE FIXATION ET FINITION

• CONNECTION BOX & FIXING / BOÎTIER DE CONNEXION & FIXATION



Dimensions / Dimensions :
 Ø4"
 Ø101 mm

• CONNECTION BOX FINISH / FINITION DU BOÎTIER DE CONNEXION

Paint finish / Finition peinture :



Mat white
 Blanc mat

ref : dcl-012

• FIXINGS FINISH / FINITION DES FIXATIONS

Steel finish / Finition métal :



Polished stainless steel
 Inox poli

ref : dcl-003

LIGHTING CONTROL SYSTEM / SYSTÈME DE CONTRÔLE D'ÉCLAIRAGE

To be chosen according to project : DMX, DALI (DT8), TRIAC (phase dimming, setting knobs to choose the light temperature), 1-10V (two 1-10V bus required), NONE (setting knob to choose and fix the light intensity and temperature).

À choisir selon le projet : DMX, DALI (DT8), TRIAC (variation sur phase, boutons de réglage pour choisir la température de la lumière), 1-10V (deux 1-10V bus requis), AUCUN (bouton de réglage pour choisir et fixer l'intensité lumineuse et la température de couleur).

For a correct functioning the remote transformer / driver must be placed in an accessible place at maximum 33' / 10 m from the light fixture.

Pour un fonctionnement optimisé, le transformateur / driver déporté doit être placé dans un espace accessible à moins de 10 m de câbles du luminaire.


TECHNICAL INFORMATION

EQUIPPED WITH UL LISTED COMPONENTS


TERRA S

Type	Pendant light
Environment	Indoor
Material	Alabaster and burnt wood
Suspension system	2 stainless steel wire rope pendant Overall drop of the lighting fixture (distance between the ceiling and the lowest part of the fixture) to be specified. Height included in standard price : 59". Additional length to order (Price upon request).
Lighting system	LED Strip 2,9 W/ft - Dimmable intensity (2700K or 3000K) - Remoted transformer
Lighting control system	To be chosen according to project
Wattage	36W
Voltage	24 V : transformer provided
Luminous flux	Source : 3500 lm The alabaster diffuses between 40 and 60% of the light source lumens
Weight	Approx. 99,2 lb

Side view
Vue de côté



Bottom view
Vue de dessous





TERRA®
DESIGN BY ATELIER ALAIN ELLOUZ
MADE IN FRANCE

References ALM-0009

Warranty 2 years warranty. General terms and conditions of sale.

FIXING SYSTEM AND FINISH

• CONNECTION BOX & FIXING



Dimensions :
Ø4''

• CONNECTION BOX FINISH

Paint finish :



Mat white
ref : dcl-012

• FIXINGS FINISH

Steel finish :



Polished stainless steel
ref : dcl-003

LIGHTING CONTROL SYSTEM

To be chosen according to project : DMX, DALI (DT8), TRIAC (phase dimming, setting knobs to choose the light temperature), 1-10V (two 1-10V bus required), NONE (setting knob to choose and fix the light intensity and temperature).

For a correct functioning the remote transformer / driver must be placed in an accessible place at maximum 33' / 10 m from the light fixture.

Please contact us for any request of custom finish.

www.atelieralainellouz.com, contactusa@atelieralainellouz.com, +1 (212) 381 6172