

US PRODUCT SHEET

HERA



Non contractual picture

AAE HERA USFP



Alain Ellouz
.paris


Type	Chandelier UL certified
Environment	Indoor
Material	Rock crystals 3,9" x 3,9" and steel or stainless steel
Suspension system	Metal rod Ø0,5" (min h. 7,9"- max h. 78,7") with ceiling plate fixation or false ceiling system Overall drop : min h. 17,7"- max h. 88,5"
Lighting system	HERA 96 : 8 x LED bulb E12 - 4,5W - 2700K - 400 lm - Dimmable HERA 124 : 12 x LED bulb E12 - 4,5W - 2700K - 400 lm - Dimmable
Voltage	120 V (USA)
Wattage / Lumens	HERA 96 : 36 W / 3200 lm HERA 124 : 54 W / 4800 lm

References


	HERA 96	HERA 124
Mat black	COL-0532	COL-0528
Antique brass	COL-0534	COL-0530
Polished stainless steel	COL-0564	COL-0562

Dimensions :

HERA 96



HERA 124



Weight / Poids :

132,3 lb / 60 Kg


176,4 lb / 80 Kg

2 years warranty. General terms and conditions of sales

FIXING SYSTEMS ON ROD

- **HIDDEN INDIVIDUAL FIXING**


System adapted to false ceilings for an aspect without a visible fixation (the rod comes out directly from the ceiling).
The hole in the false ceiling can be finished with an eyelet .



- **HERA CANOPY**

Ceiling fixing.

29,5"W x 3"D x 1,2"H




- **RODS AND CANOPY FINISHES**

Paint finish



Mat black
ref : dcl-022

Metal plating finish



Antique brass
ref : dcl-005

Metal finish



Polished stainless steel
ref : dcl-003

2 years warranty. General terms and conditions of sales